







Linido-products for UK-market



General USP's:


- all products available in 7 colors (no extra charge)
- all products available in coated steel, coated stainless steel and polished stainless steel
- high quality epoxy powder coating for durability and impact resistance










Ref.no.	Description	USP	Comments	Picture
Trento: LI2175.021 & LI2175.121 & LI2177.021 & LI2177.121	Standing and mobile shower/toilet chairs with unique features	<ul style="list-style-type: none"> ○ detachable and reversible toilet seat (polyurethane) for hygiene opening at front or back at choice ○ ergonomically shaped backrest (polyurethane) with integrated lumbar support and push bar ○ detachable rails for bedpan or bucket ○ maximum user weight: 47 stone / 300kg! 	Seat, back and rails can easily be replaced, making this product very suitable for 'loan stores'	
LI2137.021 & LI2137.121	Mobile shower/toilet chairs with 4 swivel casters and polyurethane seat with open front	<ul style="list-style-type: none"> ○ Weight capacity 47 stone / 300kg. ○ Stainless steel swivel casters (double brake) ○ Type .121 goes over a toilet at home ○ Type .021 goes over a higher institutional toilet ○ Independent swivel arm rests which give active support to the forearm 	Flip-up toilet seat makes this product easy to clean.	





Ref.no.	Description	USP	Comments	Picture
LI2141.000 & LI2141.100	Mobile shower chairs with 4 swivel casters	<ul style="list-style-type: none"> ○ Weight capacity 47 stone / 300kg. ○ Stainless steel swivel casters (double brake) ○ Type 100 for smaller people ○ Type 000 for taller people and institutions when working with hoists to get a better working height ○ Independent swivel arm rests which give active support to the forearm 	Higher quality product than usually available on the market.	
LI2137.521	Heavy Duty Mobile shower/toilet chair with 4 swivel casters	<ul style="list-style-type: none"> ○ Maximum user weight: 63 stone / 400kg! ○ Frame: width 24", depth 20" ○ Flip-down locking armrests ○ Hinged polyurethane seat with open front ○ Adjustable swing-up footrests ○ Rails for bedpan and bucket 	Seat does not cover total width and depth of frame!	
New product! LI2002.000	Shower stool	<ul style="list-style-type: none"> ○ Removable PUR seat ○ Sturdy armrests ○ Height adjustable in 8 steps, 400-600mm ○ Stainless steel base frame with aluminium adjustable legs ○ Adjustment without the use of any tools! 		
New product! LI2002.001	Backrest for shower stool	<ul style="list-style-type: none"> ○ Exchangeable backrest ○ Mounting without tools ○ Soft PUR backrest ○ Integrated handle ○ Aluminum backrest frame, no corrosion! 		





Ref.no.	Description	USP	Comments	Picture
LI2150.021	Tilting shower chair	<ul style="list-style-type: none"> ○ Very stable and sturdy ○ Goes over a toilet ○ Allows 30° tilt ○ Easy operation ○ Standard stainless steel ○ Weight capacity 24 stone/ 150kg. ○ Stainless steel swivel casters (double brake) ○ Height and depth adjustable head rest ○ Adjustable and removable swing-away footrest 	Especially suitable for Alzheimer patients and rehab facilities.	
<p><i>New product!</i> LI2161.121 Manual</p> <p>LI2161.321 electrical</p>	Height adjustable tilting shower and toilet chair	<ul style="list-style-type: none"> ○ Very stable and sturdy ○ Goes over a toilet! ○ Max.height water reservoir of the toilet can be 800mm high! ○ Height adjustable 580 – 1040 mm ○ Allows 35°tilt ○ Detachable and reversible toilet seat (polyurethane) for hygiene opening at front or back at choice ○ Detachable rails for bedpan or bucket ○ Easy operation with remote control. Offers you the possibility to have eye contact with the patient when operating the tilt or up-or-down lift ○ Standard stainless steel base material ○ Weight capacity 24 stone / 150kg ○ Stainless steel swivel casters (double brake) ○ Height and depth adjustable headrest ○ Including removable safety belt and removable calf strap ○ Adjustable and removable swing-away footrest 		




Ref.no.	Description	USP	Comments	Picture
LI2201.200 & LI2202.200 & LI2203.200	Wall mounted shower seats	<ul style="list-style-type: none"> ○ The safest way to shower: nothing can move! ○ Allows access of shower for other users when folding the seat up ○ Excellent seat comfort: the backrest gives active support and the seat angle is 87°, which also allows the water to run to the back of the seat ○ Smooth design of the front of the seat, allowing space to the back of the knee ○ All glass fiber reinforced plastic and stainless steel for durability and safety ○ Static seat pressure: 24 stone /150 kg; when used in combination with a floor support set: 47 stone / 300kg! ○ Option for cushioned cover for the shower seat (LI09506.400) 	Requires reinforcement of the wall. Award winning product!	







Ref.no.	Description	USP	Comments	Picture
LI2403.150 & LI2403.170 & LI2403.190	Wall mounted shower stretchers (changing tables)	<ul style="list-style-type: none"> ○ Allows showering and changing of a child in the bathroom or any other room ○ Folds up or down to allow access to the room to others ○ The only one in the market (?) 	Requires reinforcement of the wall	
LI2514.190	Height adjustable shower trolley	<ul style="list-style-type: none"> ○ Allows the right working height ○ Back rest with easy gas spring operation ○ Relatively good price (not sure about this anymore) 		
New product! LI2603.250 & LI2603.260 & LI2603.270 & LI2603.280 & LI2603.290	Hinged arm supports (diameter 28.6mm)	<ul style="list-style-type: none"> ○ Allows side transfer onto the toilet ○ Can be flipped up when not in use ○ Locks in the upright position, therefore always a safety bar ○ Glass fiber reinforced plastic: strong, sturdy, durable ○ Vertical static pressure: 24 stone / 150 kg ○ Horizontal static pressure: 16 stone / 100 kg ○ Support leg available if there is a weak wall ○ When mounted on floor console LI2608.000 wall reinforcement not required ○ Can be combined with the unique single handed toilet roll holder (LI2618.000) ○ Smooth powder coated surface for optimal combination of a safe grip and hygiene ○ Optimum grip with minimal squeezing force because of the use of the powder coated surface ○ Maximum contact area between hand 	Requires reinforcement of the wall	 

		and surface of the grab rail, anti-slip		
New product! LI2608.000	Floor console for hinged arm support	<ul style="list-style-type: none"> Allows mounting of hinged arm support, when the customer does not want to reinforce the wall 		
LI2617.000	Toilet roll holder for hinged arm support	<ul style="list-style-type: none"> Toilet paper within reach Mounts easily onto the hinged arm support or Ergogrip grab rail. 		
LI2618.000	Toilet roll holder for single-handed use	<ul style="list-style-type: none"> Unique design: allows for changing, unrolling and tearing of the toilet paper with one hand Fits on Linido hinged arms LI2603.3.- and on Ergogrip grab rails minimum length 300mm. 	<p>Award winning product!</p> 	

Ref.no.	Description	USP	Comments	Picture
LI2611.0xx	Grab rails	<ul style="list-style-type: none"> ○ The angle of 60° in the tube near the flanges allows space for fingers and hand for a good grip (patented) ○ Concealed fixing ○ Every Ergogrip grab rail can be converted into a sturdy shower rail by using the shower holder LI2630.200 ○ Vertical static pressure: 24 stone / 150 kg ○ Space between the wall and the gripp 75mm provides enough space to grab it safe without hurting your hands to the tiles. Smooth powder coated surface for optimal combination of a safe grip and hygiene ○ Optimum grip with minimal squeezing force because of the use of the powder coated surface ○ Maximum contact area between hand and surface of the grab rail, anti-slip 	<p>Requires reinforcement of the wall.</p> 	
LI2630.200	Shower holder for hand held showers	<ul style="list-style-type: none"> ○ Shaped ergonomically, allowing height adjustment and positioning also when having severe impairments in the hands ○ Offers independency because the user can pull the shower head holder downwards by pulling the water hose gently. 		

Ref.no.	Description	USP	Comments	Picture
LI4026.001 & LI4026.002	ProGrip	<ul style="list-style-type: none"> ○ Assistance for getting up from the toilet ○ Offers support to the fore-arm, during the entire movement from sitting to standing-up and from standing-up to sitting down ○ Polyurethane foam with aluminum fixing ○ Unique concept, worldwide ○ No alternative from the competition 		
New product! LI4027.000	Back-Up	<ul style="list-style-type: none"> ○ Supports the back while standing under the shower ○ Safety support for two hand activities under the shower ○ Safety support while turning around to get shampoo ○ Ergonomic design, follows the contour of the human body ○ Soft and comfortable polyurethane foam cover ○ Offers support while entering the shower, the user can grab on to the edge of the Back-Up ○ One model for both left and right setup ○ Shelf for products like shampoo and soap 		

Ref.no.	Description	USP	Comments	Picture
LI2613.000	Swinging support	<ul style="list-style-type: none"> ○ Can swing away to be out of the way ○ Can be locked in several positions ○ Strap adjustable in height and grip adjustable in position 	Is usually mounted above the bed. Requires reinforcement of the wall	
LI3012.000	Washbasin Unit	<ul style="list-style-type: none"> ○ Smooth height and dept adjustment of the washbasin by means of a gas spring ○ Adjustment range: 250 mm in height and 86mm in depth ○ Easy and fast operation by means of a handle 		

Ref.no.	Description	USP	Comments	Picture
LI3013.000	Flexible supply and drain set	<ul style="list-style-type: none"> ○ Drain set for washbasin unit Ø 40 mm, includes the washbasin plug ○ Two long 50 cm long flexible hoses to hot and cold water supply and have 3/8" and 10 mm connectors ○ Drain can be mounted horizontally or vertically 		
Concept height adjustability				
Shower: LI2215.101 LI2215.102 LI2815.002	Height adjustment system	<ul style="list-style-type: none"> ○ Height adjustment 150mm ○ Two options of adjustment; ○ 1) with tools ○ 2) with set of adjustable clamp levers ○ Easy to adjust by the nurses 		 
LI2216.001 LI2216.002	Click-on frame	<ul style="list-style-type: none"> ○ Adjustment without tools ○ Adjustment 100mm ○ Click on a Linido grab rail ○ Spread of investment and makes it possible to use a combination of shower seats and shower-toilet chairs 		

Toilet:		○	
LI2615.300	Adjustment system for hinged arm supports	<ul style="list-style-type: none"> ○ Height adjustment 150mm ○ Two options of adjustment; ○ 1) with tools ○ 2) with set of adjustable clamp levers ○ Easy to adjust by the nurses 	